

Hannes Wettstein **GLOBE**




L36

Cassina

L36 GLOBE Hannes Wettstein

Padded bed with removable fabric. The headboard is divided into two parts guaranteeing maximum individual comfort by minimising movements and vibrations. Frame in covered wood which can support two mattress supporting surfaces in bored wood upholstered with special fabric self-fixing by means of velcro tape or two bases. Aluminium feet lacquered in light grey. In case of use of the supporting surfaces, it is advisable to choose sprung mattresses which guarantee a better internal ventilation of its components. This model is completed with a low/bedside table in glossy white lacquered wood.











Support structure

It is made up of three longitudinal cross-bars in light grey painted steel which are fixed at the bed foot and sides.

The slatted base

It is made up of specially treated, grey lacquered beech plywood and finished with joint elements at the angles and n. 26 slats in precurved beech plywood. The top face of the slats is treated with anti-slip finish. The slats are mounted on the frame through elastic slat caps to guarantee a high level of flexibility.


In the head/foot area, shaped slats allow a perfect support of the mattress and in the shoulders area, the shaped slats offer the maximum of elasticity and comfort.

In the pelvis area, where 42% of our weight is concentrated, cursors allow the elasticity of the slats.

The base can be fix or it can have tilting parts where head and feet rest.

The position of the headboard/footboard can be changed by means of a handle placed on the side to be moved; once in position, a self-blocking mechanism holds the headboard/footboard at the desired angle. Headboard and footboard can be adjusted in thirteen positions according to individual requirements and guaranteeing the maximum comfort.

Pollutant glues have been totally excluded at the manufacturing stage.



The sprung base

It's a bit like a mattress supporting another mattress. A frame in solid fir-wood covered in special material, holds up the surface made up of a system of padded steel springs with a resistant cloth covering. It distributes our weight along the entire surface. The base is fix. Pollutant glues have been totally excluded at the manufacturing stage.

Sprung mattresses

They are perfect for the sprung base. Only the weighted springs enter into action depending on the degree of pressure placed on it. In this type of mattress is guranteed the required airing.

Latex mattresses

They are light, hygienic, longlasting, classical. They adapt perfectly to the slatted base. The elastic support has been studied in such a way as to allow a perfect airing.



Length of mattresses 79"

Total width of mattresses

Queen 63"
King 79"

No. of mattresses

1 or 2 x 31.5"
2 x 39.5"

Type and no. of bases

Slats 2 x 31" 2 x 39"
Sprung 2 x 30.7" 2 x 38.5"

The bed fitted with a support surface does not require any base.



Under our weight the slat caps adapt themselves perfectly to the shape of our body, gently holding it up.



